

10 Rep. 10/18/01

10 OCT 2001

I hereby certify that this correspondence is being deposited with the United States Postal Services on the date set forth below as First Class Mail in an envelope addressed to: Commissioner for Patents, Washington, D.C. 20231.

Date of Signature
and Deposit: 10/18/01

Jean C. Bahus
Attorney of Record

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants: Nabil G. Seidah, et al.
Serial No.: 09/830,837
Filed: April 30, 2001
For: MAMMALIAN SUBTILISIN/KEXIN ISOZYME SKI-
1: A PROPROTEIN CONVERTASE WITH A
UNIQUE CLEAVAGE SPECIFICITY
Group Art Unit: --
Examiner: --

Commissioner For Patents
Washington, D.C. 20231

INFORMATION DISCLOSURE STATEMENT

Dear Sir:

Pursuant to 37 C.F.R. 1.98, enclosed herewith is a list of documents which the Applicants in the above-identified patent application wish to bring to the attention of the Examiner for consideration in connection with the examination on the merits of this patent application.

Other Documents

Abrami, L. et al. (1998). "The Pore-forming Toxin Poraerolysin Is Activated by Furin". The Journal of Biological Chemistry, 273:32656-32661.

Anderson, E.D. et al. (1993). "Inhibition of HIV-1 gp160-dependent Membrane Fusion by a Furin-directed α 1-Antitrypsin Variant". The Journal of Biological Chemistry, 268:24887-24891.

Basak, A. et al. (1995). "Application of the Multiple Antigenic Peptides (MAP) Strategy to the Production of Prohormone Convertases Antibodies: Synthesis, Characterization and use of 8-Branched Immunogenic Peptides". Journal of Peptide Science, 1:385-395.

Basak, A., et al. (1997). "Histidine-rich Human Salivary Peptides are Inhibitors of Proprotein Convertases Furin and PC7 but Act as Substrates for PC1". J. Peptide Res., 49:596-603.

Bellosta, S. et al. (1998). "Direct Vascular Effects of HMG-CoA Reductase Inhibitors". Atherosclerosis 137 Suppl. (1998): S101-S109.

Benjannet, S. et al. (1997). " α 1-Antitrypsin Portland Inhibits Processing of Precursors Mediated by Proprotein Convertases Primarily within the Constitutive Secretory Pathway". The Journal of Biological Chemistry, 272:26210-26218.

Benjannet, S. et al. (1998). "Residues Unique to the Pro-hormone Convertase PC2 Modulate its Autoactivation,

Binding to 7B2 and Enzymatic Activity". FEBS Letters, 428:37-42.

Boudrealt, A. et al. (1998). "Proprotein Convertase PC1/3-related Peptides are Potent Slow Tight-binding Inhibitors of Murine PC1/3 and Hfurin". The Journal of Biological Chemistry, Vol. 273, No. 47:31574-31580.

Brown, M.S. et al. (1997). "The SREBP Pathway: Regulation of Cholesterol Metabolism by Proteolysis of a Membrane-bound Transcription Factor". Cell, 89:331-340.

Brown, M.S. et al. (1999). "A Proteolytic Pathway that Controls the Cholesterol Content of Membranes, Cells, and Blood". Proc. Natl. Acad. Sci. USA 96:11041-11048.

Burbach, J.P.H. et al. (1986). "Isolation and Primary Structure of Novel Neurointermediate Pituitary Peptides Derived from the C-terminal of the Rat Vasopressin-neurophysin Precursor (Propressophysin)". Eur. J. Biochem., 156:137-142.

Checlerc, F. (1995). "Short Review: Processing of the β -Amyloid Precursor Protein and its Regulation in Alzheimer's Disease". Journal of Neurochemistry, Vol. 65, No. 4:1431-1444.

Cheng, D. et al. (1999). "Secreted Site-1 Protease Cleaves Peptides Corresponding to Luminal Loop of Sterol

Regulatory Element-binding Proteins". The Journal of Biological Chemistry, 274:22805-22812.

Chiron, M.F. et al. (1994). "Cleavage of Pseudomonas Exotoxin and Diphtheria Toxin by a Furin-like Enzyme Prepared from Beef Liver". The Journal of Biological Chemistry, Vol. 269, No. 27:18167-18176.

Chrétien, M. et al. (1995). "Proprotein Convertases and the Pathophysiology of Human Diseases: Prospective Considerations". Proceedings of the Association of American Physicians, 107:47-66.

De Bie, I. et al. (1996). "The Isoforms of Proprotein Convertase PC5 are Sorted to Different Subcellular Compartments". Journal of Cell. Biology, 135:1261-1275.

Decroly, E. et al. (1997). "Comparative Functional Role of PC7 and Furin in the Processing of the HIV Envelope Glycoprotein gp160". FEBS Letters, 405:68-72.

Duncan, E.A. et al. (1997). "Cleavage Site for Sterol-regulated Protease Localized to a Leu-Ser-Bond in the Luminal Loop of Sterol Regulatory Element-binding Protein-2". The Journal of Biological Chemistry, 272:12778-12785.

Edwards, J.B.D.M. et al. (1991). "Oligodeoxyribonucleotide Ligation to Single-stranded cDNAs: a New Tool for Cloning 5' ends of mRNAs and for

Constructing cDNA Libraries by *In Vitro* Amplification.
Nucleic Acid Research, 19:5227-5232.

Edwards, P.A. et al. (1999). "Sterols and
Isoprenoids: Signaling Molecules Derived from the
Cholesterol Biosynthetic Pathway". Annu. Rev. Biochem.,
68:157-185.

Endres, M. et al. (1998). "Stroke Protection by 3-
hydroxy-3-methylglutaryl (HMG)-CoA Reductase Inhibitors
Mediated by Endothelial Nitric Oxide Synthase". Proc.
Natl. Acad. Sci. USA 95:8880-8885.

Gallagher, T. et al. (1995). "The Prosegment-
subtilisin BPN' Complex: Crystal Structure of a Specific
"Foldase"". Structure, 3:907-914.

Glasson, M.J. et al. (1998). "Development of Mini-gel
Technology in Two-dimensional Electrophoresis for Mass-
screening of Samples: Application to Tears".
Electrophoresis, 19:852-855.

Gram, H. et al. (1994). "A Novel Approach for High
Level Production of a Recombinant Human Parathyroid Hormone
Fragment in *Echerichia coli*". Bio/Technology, 12:1017-
1023.

Grus, F.H. et al. (1999). "Analysis of Tear Protein
Patterns by a Neural Network as a Diagnostical Tool for the
Detection of Dry Eyes". Electrophoresis 20:875-880.

Guijarro, C. et al. (1998). "3-Hydroxy-3-Methylglutaryl Coenzyme A Reductase and Isoprenylation Inhibitors Induce Apoptosis of Vascular Smooth Muscle Cells in Culture". *Cir. Res.*, 83:490-500.

Gupta, S.K. et al. (1995). "A Potent Inhibitor of Endothelial Cell Proliferation is Generated by Proteolytic Cleavage of the Chemokine Platelet Factor 4". *Proc. Natl. Acad. Sci. USA*, 92:7799-7803.

Hallenberger, S. et al. (1992). "Inhibition of Furin-mediated Cleavage Activation of HIV-1 Glycoprotein gp160". *Nature*, 360:358-361.

Hallenberger, S. et al. (1997). "The Role of Eukaryotic Subtilisin-like Endoproteases for the Activation of Human Immunodeficiency Virus Glycoproteins in Natural Host Cells". *Journal of Virology*, 71:1036-1045.

Hooper, N.M. et al. (1997). "Membrane Protein Secretases". *Biochem. J.*, 321:265-279.

Howland, D.S. et al. (1998). "Modulation of Secreted β -Amyloid Precursor Protein and Amyloid β -Peptide in Brain by Cholesterol". *The Journal of Biological Chemistry*, 273:16576-16582.

Hua, X. et al. (1993). "SREBP-2, a Second Basic-helix-loop-helix-leucine Zipper Protein that Stimulates

Transcription by Binding to a Sterol Regulatory Element".
Proc. Natl. Acad. Sci. USA, 90:11603-11607.

Hudson, P. et al. (1981). "Molecular Cloning and
Characterization of cDNA Sequences Coding for Rat Relaxin".
Nature, 291:127-131.

Inouye, M. (1991). "Intramolecular Chaperone: The
Role of the Pro-Peptide in Protein Folding". Enzyme,
45:314-321.

Iskeleli, G. et al. (1999). "Comparison of Tear
Lactate Dehydrogenase Activities of Different Types of
Contact Lens Wearers and Normal Control Group". CLAO
Journal, 25:101-104.

Jean, F. et al. (1995). "Fluorescent Peptidyl
Substrates as an Aid in Studying the Substrate Specificity
of Human Prohormone Convertase PC1 and Human Furin and
Designing a Potent Irreversible Inhibitor". The Journal of
Biological Chemistry, Vol. 270, No. 33:19225-19231.

Kendall, J.M. et al. (1994). "Changes in Free Calcium
in the Endoplasmic Reticulum of Living Cells Detected Using
Targeted Aequorin". Analytical Biochemistry, 221:173-181.

Khan, A.R. et al. (1998). "Molecular Mechanisms for
the Conversion of Zymogens to Active Proteolytic Enzymes".
Protein Science, 7:815-836.

Kim, J.B. et al. (1996). "ADD1/SREBP1 Promotes Adipocyte Differentiation and Gene Expression Linked to Fatty Acid Metabolism". Genes & Development, 10:1096-1107.

Kim, J.B. et al. (1998). "ADD1/SREBP1 Activates PPAR γ through the Production of Endogenous Ligand". Proc. Natl. Acad. Sci. USA, 95:4333-4337.

Kim, J.B. et al. (1998). "Nutritional and Insulin Regulation of Fatty Acid Synthetase and Leptin Gene Expression through ADD1/SREBP1". J. Clin. Invest., 101:1-9.

Kim, J.H. et al. (1998). "Noninvasive Measurement of the pH of the Endoplasmic Reticulum at Rest and During Calcium Release". Proc. Natl. Acad. Sci. USA, 95:2997-3002.

Laufs, U. et al. (1997). "Inhibition of 3-Hydroxy-3-methylglutaryl (HMG)-CoA Reductase Blocks Hypoxia-mediated Down-regulation of Endothelial Nitric Oxide Synthase". The Journal of Biological Chemistry, 272:31725-31729.

Laufs, U. et al. (1998). "Upregulation of Endothelial Nitric Oxide Synthase by HMG CoA Reductase Inhibitors". Circulation, 97:1129-1135.

Laufs, U. and Liao, J.K. (1998). "Post-transcriptional Regulation of Endothelial Nitric Oxide

Synthase mRNA Stability by Rho GTPase". The Journal of Biological Chemistry, 273:24266-24271.

Lei, Y. et al. (1999). "Identification of Mouse CPX-1, a Novel Member of the Metallo-carboxypeptidase Gene Family with Highest Similarity to CPX-2". DNA and Cell Biology, 18:175-185.

Ling, N. et al. (1976). "Isolation, Primary Structure, and Synthesis of α -endorphin and γ -endorphin, Two Peptides of Hypothalamic-hypophyseal Origin with Morphinomimetic Activity". Proc. Natl. Acad. Sci. USA, 73:3942-3946.

Lippincott-Schwartz, J. et al. (1989). "Rapid Redistribution of Golgi Proteins into the ER in Cells Treated with Brefeldin A: Evidence for Membrane Cycling from Golgi to ER". Cell, 56:801-813.

Lippincott-Schwartz, J. et al. (1991). "Brefeldin A's Effects on Endosomes, Lysosomes, and the TGN Suggest a General Mechanism for Regulating Organelle Structure and Membrane Traffic". Cell, 67:601-616.

Llopis, J. et al. (1998). "Measurement of Cytosolic, Mitochondrial, and Golgi pH in Single Living Cells with Green Fluorescent Proteins". Proc. Natl. Acad. Sci. USA, 95:6803-6808.

Lusson, J. et al. (1993). "cDNA Structure of the Mouse and Rat Subtilisin/Kexin-like PC5: A Candidate Proprotein Convertase Expressed in Endocrine and Nonendocrine Cells". Proc. Natl. Acad. Sci. USA, 90:6691-6695.

Maisonpierre, P.C. et al. (1991). "Human and Rat Brain-Derived Neurotrophic Factor and Neurotrophin-3: Gene Structures, Distributions, and Chromosomal Localizations". Genomics, 10:558-568.

Malide, D. et al. (1995). "Electron Microscopic Immunocytochemical Evidence for the Involvement of the Convertases PC1 and PC2 in the Processing of Proinsulin in Pancreatic β -Cells". The Journal of Histochemistry and Cytochemistry, 43:11-19.

Marcinkiewicz, J. et al. (1998). "The Pro-protein Convertase PC1 is Induced in the Transected Sciatic Nerve and is Present in Cultured Schwann Cells: Comparison with PC5, Furin and PC7, Implication in Pro-BDNF Processing". Molecular Brain Research, 59:229-246.

McNamara, M.J. et al. (1998). "Immunohistochemical and In Situ Analysis of Amyloid Precursor-like Protein-1 and Amyloid Precursor-like Protein-2 Expression in Alzheimer Disease and Aged Control Brains". Brain Research, 804:45-51.

Mizuno, K. et al. (1989). "Characterization of Kex2-encoded Endopeptidase from Yeast *Saccharomyces cerevisiae*". Biochemical and Biophysical Research Communications, 159:305-311.

Molloy, M.P. et al. (1997). "Establishment of the Human Reflex Tear Two-dimensional Polyacrylamide Gel Electrophoresis Reference Map: New Proteins of Potential Diagnostic Value". Electrophoresis, 18:2811-2815.

Muller, L. et al. (1997). "Mechanism of the Facilitation of PC2 Maturation by 7B2: Involvement in ProPC2 Transport and Activation but No Folding". The Journal of Cell Biology, 13:625-638.

Munzer, J.S. et al. (1997). "In Vitro Characterization of the Novel Proprotein Convertase PC7". The Journal of Biological Chemistry, 272:19672-19681.

Mutoh, T. et al. (1999). "Involvement of Tyrosine Phosphorylation in HMG-CoA Reductase Inhibitor-induced Cell Death in L6 Myoblasts". FEBS Letters, 444:85-89.

Mutoh, T. et al. (1999). "Role of Tyrosine Phosphorylation of Phospholipase C γ 1 in the Signaling Pathway of HMG-CoA Reductase Inhibitor-induced Cell Death of L6 Myoblasts". FEBS Letters, 446:91-94.

Northurfft, A. et al. (1998). "Sterols Regulate Processing of Carbohydrate Chains of Wild-type SREBP

Cleavage-activating Protein (SCAP), but not Sterol-resistant Mutants Y298C or D443N". Proc. Natl. Acad. Sci. USA 95:12848-12853.

Northurfft, A. et al. (1999). "Sterols Regulate Cycling of SREBP Cleavage-activating Protein (SCAP) Between Endoplasmic Reticulum and Golgi". Proc. Natl. Acad. Sci. USA, 96:11235-11240.

O'Reilly, M.S. et al. (1994). "Angiostatin: A Novel Angiogenesis Inhibitor that Mediates the Suppression of Metastases by a Lewis Lung Carcinoma". Cell, 79:315-328.

Paquet, L. et al. (1994). "The Neuroendocrine Precursor 7B2 is a Sulfated Protein Proteolytically Processed by a Ubiquitous Furin-like Convertase". The Journal of Biological Chemistry, 269:19279-19285.

Power, S.D. et al. (1986). "Secretion and Autoproteolytic Maturation of Subtilisin". Proc. Natl. Acad. Sci. USA, 83:3096-3100.

Raiteri, M. et al. (1997). "Pharmacological Control of the Mevalonate Pathway: Effect on Arterial Smooth Muscle Cell Proliferation". The Journal of Pharmacology and Experimental Therapeutics, 281:1144-1153.

Rassoulzadegan, M. et al. (1998). "APLP2, a Member of the Alzheimer Precursor Protein Family, is Required for

Correct Genomic Segregation in Dividing Mouse Cells". The EMBO Journal, 17:4647-4656.

Rawson, R.B. et al. (1997). "Complementation Cloning of S2P, a Gene Encoding a Putative Metalloprotease Required for Intramembrane Cleavage of SREBPs". Molecular Cell, 1:47-57.

Reeves, J.P. et al. (1981). "Intracellular Disruption of Rat Heart Lysosomes by Lucine Methyl Ester: Effects on Protein Degradation". Proc. Natl. Acad. Sci. USA, 78:4426-4429.

Rittenhouse, J. and Marcus, F. (1984). "Peptide Mapping by Polyacrylamide Gel Electrophoresis after Cleavage at Aspartyl-prolyl peptide Bonds in Sodium Dodecyl Sulfate-containing Buffers". Analytical Biochemistry, 138:442-448.

Rosendahl, M.S. et al. (1997). "Identification and Characterization of a Pro-tumor Necrosis Factor- α -processing Enzyme from the ADAM Family of Zinc Metalloprotease". The Journal of Biological Chemistry, Vol. 272, No. 39:24588-24593.

Rovère, C. et al. (1999). "The RGD Motif and the C-terminal Segment of Proprotein Convertase 1 are Critical for its Cellular Trafficking but not for its Intracellular

Binding to Integrin $\alpha 5\beta 1$ ". The Journal of Biological Chemistry, 274:12461-12467.

Sakai, J. et al. (1996). "Sterol-regulated Release of SREBP-2 from Cell Membranes Requires Two Sequential Cleavages, One Within a Transmembrane Segment". Cell, 85:1037-1046.

Sambrook, J.F. (1990). "The Involvement of Calcium in Transport in Secretory Proteins from the Endoplasmic Reticulum". Cell, 61:197-199.

Scheek, S. et al. (1997). "Sphingomyelin Depletion in Cultured Cells Blocks Proteolysis of Sterol Regulatory Element Binding Proteins at Site 1". Proc. Natl. Acad. Sci. USA, 94:11179-11183.

Seidah, N.G. et al. (1994). "The Family of Subtilisin/Kexin Like Pro-protein and pro-hormone Convertases: Divergent or Shared Functions". Biochim, 76:197-209.

Seidah, N.G. (1995). "Molecular Strategies for Identifying Processing Enzymes". Methods in Neurosciences, 23:3-15.

Seidah, N.G. et al. (1996). "cDNA Structure, Tissue Distribution, and Chromosomal Localization of Rat PC7, a Novel Mammalian Proprotein Convertase Closest to Yeast

Kexin-like Proteinases". Proc. Natl. Acad. Sci. USA, 93:3388-3393.

Seidah, N.G. et al. (1996). "Cellular Processing of the Neurotrophin Precursors of NT3 and BDNF by the Mammalian Proprotein Convertases". FEBS Letters 379:247-250.

Seidah, N.G. et al. (1998). "Precursor Convertases: An Evolutionary Ancient, Cell-specific, Combinatorial Mechanism Yielding Diverse Bioactive Peptides and Proteins". Ann. NY Acad. Sci., 839:9-24.

Seidah, N.G. et al. (1998). "The Mammalian Precursor Convertases: Paralogues of the Subtilisin/Kexin Family of Calcium-dependent Serine Proteinases", In: Hook, V.Y.H. (Ed.), Proteolytic and Cellular mechanisms in Prohormone and Proprotein Processing, R.G. Landes Company, Georgetown, TX, USA, chapter 3:49-76.

Shimomura, I. et al. (1998). "Insulin Resistance and Diabetes Mellitus in Transgenic Mice Expressing Nuclear SREBP-1c in Adipose Tissue: Model for Congenital Generalized Lipodystrophy". Genes & Development, 12:3182-3194.

Shimomura, I. et al. (1999). "Leptin Reverses Insulin Resistance and Diabetes Mellitus in Mice with Congenital Lipodystrophy". Nature, 401:73-76.

Shimomura, I. et al. (1999). "Increased Levels of Nuclear SREBP-1c Associated with Fatty Livers in Two Mouse Models of Diabetes Mellitus". *The Journal of Biological Chemistry*, 274:30028-30032.

Soma, M.R. et al. (1992). "Cholesterol and Mevalonic Acid Modulation in Cell Metabolism and Multiplication". *Toxicology Letters*, 64/65:1-15.

Spence, M.W. and Callahan, J.W. (1989). "Sphingomyelin-Cholesterol Lipidoses" *The Niemann-Pick Group of Diseases*. In *The Metabolic Basis of Inherited Disease* (Scriver, C.R. et al., editors), McGraw-Hill Publ. Co., 6th Edition, chapter 66:1655-1676.

Steiner, D.F. (1998). "The Proprotein Convertases". *Curr. Opin. Chem. Biol.*, 2:31-39.

Sviridov, D. (1999). "Intracellular Cholesterol Trafficking". *Histology & Histopathology*, 14:2305-319.

Volchkov, V.E. et al. (1998). "Processing of the Ebola Virus Glycoprotein by the Proprotein Convertase Furin". *Proc. Natl. Acad. Sci. USA*, 95:5762-5767.

Wang, X. et al. (1994). "SREBP-1, a Membrane-Bound Transcription Factor Released by Sterol-regulated Proteolysis". *Cell*, 77:53-62.

Wang, X. et al. (1994). "SREBP-1, a Membrane-Bound Transcription Factor Released by Sterol-regulated Proolysis". Cell, 77:53-62.

Yan, Q. et al. (1997). "Expression of Brain-derived Neurotrophic Factor Protein in the Adult Rat Central Nervous System". Neuroscience, 78:431-448.


Zhong, M. et al. (1999). "The Prosegments of Furin and PC7 as Potent Inhibitors of Proprotein Convertases". The Journal of Biological Chemistry, Vol. 274, No. 48:33913-33920.

No fees are believed necessary to enter this Statement. However, if any fees are necessary please charge Deposit Account 17-0055.

Respectfully submitted,
Nabil G. Seidah, et al.

October 18, 2001

By:



Jean C. Baker

Reg. No. 35,433

Quarles & Brady LLP

411 East Wisconsin Avenue

Milwaukee, WI 53202-4497

(414) 277-5709

INFORMATION DISCLOSURE CITATION

(Use several sheets if necessary)

Docket Number (Optional)

480848.900

Application Number

09/830837

Applicant(s)

SEIDAH, Nabil G. et al.

Filing Date

April 30, 2001

Group Art Unit

Unassigned

U.S. PATENT DOCUMENTS

*EXAMINER INITIAL	REF	DOCUMENT NUMBER	DATE	NAME	CLASS	SUBCLASS	FILING DATE IF APPROPRIATE

FOREIGN PATENT DOCUMENTS

	REF	DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUBCLASS	Translation	
							YES	NO

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)

	0	Abrami, L. et al. (1998). "The Pore-forming Toxin Proaerolysin Is Activated by Furin". The Journal of Biological Chemistry, 273: 32656-32661.
	1	Anderson, E.D. et al. (1993). "Inhibition of HIV-1 gp160-dependent Membrane Fusion by a Furin-directed α 1-Antitrypsin Variant". The Journal of Biological Chemistry, 268: 24887-24891.

EXAMINER

DATE CONSIDERED

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP Section 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

INFORMATION DISCLOSURE CITATION

(Use several sheets if necessary)

Docket Number (Optional)

480848.900

Application Number

09/830837

Applicant(s)

SEIDAH, Nabil G. et al.

Filing Date

April 30, 2001

Group Art Unit

Unassigned

*EXAMINER

INITIAL

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)

Basak, A. et al. (1995). "Application of the Multiple Antigenic Peptides (MAP) Strategy to the Production of Prohormone Convertases Antibodies: Synthesis, Characterization and use of 8-Branched Immunogenic Peptides". Journal of Peptide Science, 1: 385-395.

Basak, A. et al. (1997). "Histidine-rich human salivary peptides are inhibitors of proprotein convertases furin and PC7 but act as substrates for PC1". J. Peptide Res., 49: 596-603.

Bellosta, S. et al. (1998). "Direct vascular effects of HMG-CoA reductase inhibitors". Atherosclerosis 137 Suppl. (1998): S101-S109.

Benjannet, S. et al. (1997). "α1-Antitrypsin Portland Inhibits Processing of Precursors Mediated by proprotein Convertases Primarily within the Constitutive Secretory Pathway". The Journal of Biological Chemistry, 272: 26210-26218.

Benjannet, S. et al. (1998). "Residues unique to the pro-hormone convertase PC2 modulate its autoactivation, binding to 7B2 and enzymatic activity". FEBS Letters, 428: 37-42.

Boudreault, A. et al. (1998). "Proprotein Convertase PC1/3-related Peptides Are Potent Slow Tight-binding Inhibitors of Murine PC1/3 and Hfurin". The Journal of Biological Chemistry, Vol. 273, No. 47: 31574-31580.

Brown, M.S. et al. (1997). "The SREBP Pathway: Regulation of Cholesterol Metabolism by Proteolysis of a Membrane-Bound Transcription Factor". Cell, 89: 331-340.

Brown, M.S. et al. (1999). "A proteolytic pathway that controls the cholesterol content of membranes, cells, and blood". Proc. Natl. Acad. Sci. USA, 96: 11041-11048.

Burbach, J.P.H. et al. (1986). "Isolation and primary structure of novel neurointermediate pituitary peptides derived from the C-terminal of the rat vasopressin-neurophysin precursor (proressophysin)". Eur. J. Biochem, 156: 137-142.

Checlerc, Frédéric (1995). "Short Review: Processing of the B-Amyloid Precursor Protein and Its Regulation in Alzheimer's Disease". Journal of Neurochemistry, Vol. 65, No. 4: 1431-1444.

Cheng, D. et al. (1999). "Secreted Site-1 Protease Cleaves Peptides Corresponding to Luminal Loop of Sterol Regulatory Element-binding Proteins". The Journal of Biological Chemistry, 274: 22805-22812.

Chiron, M.F. et al. (1994). "Cleavage of Pseudomonas Exotoxin and Diphtheria Toxin by a Furin-like Enzyme Prepared from Beef Liver". The Journal of Biological Chemistry, Vol. 269, No. 27: 18167-18176.

EXAMINER

DATE CONSIDERED

*EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP Section 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

INFORMATION DISCLOSURE CITATION

(Use several sheets if necessary)

Docket Number (Optional)

480848.900

Application Number

09/830837

Applicant(s)

SEIDAH, Nabil G. et al.

Filing Date

April 30, 2001

Group Art Unit

Unassigned

*EXAMINER

INITIAL

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)

Chrétien, M. et al. (1995). "Proprotein Convertases and the Pathophysiology of Human Diseases: Prospective Considerations". Proceedings of the Association of American Physicians, 107: 47-66.

De Bie, I. et al. (1996). "The Isoforms of Proprotein Convertase PC5 Are Sorted to Different Subcellular Compartments". Journal of Cell. Biology, 135: 1261-1275.

Decroly, E. et al. (1997). "Comparative functional role of PC7 and furin in the processing of the HIV envelope glycoprotein gp160". FEBS Letters, 405: 68-72.

Duncan, E.A. et al. (1997). "Cleavage Site for Sterol-regulated Protease Localized to a Leu-Ser Bond in the Luminal Loop of Sterol Regulatory Element-binding Protein-2". The Journal of Biological Chemistry, 272: 12778-12785.

Edwards, J.B.D.M. et al. (1991). "Oligodeoxyribonucleotide ligation to single-stranded cDNAs: a new tool for cloning 5' ends of mRNAs and for constructing cDNA libraries by *in vitro* amplification. Nucleic Acid Research, 19: 5227-5232.

Edwards, P.A. et al. (1999). "Sterols and Isoprenoids: Signaling Molecules Derived from the Cholesterol Biosynthetic Pathway". Annu. Rev. Biochem., 68: 157-185.

Endres, M. et al. (1998). "Stroke protection by 3-hydroxy-3-methylglutaryl (HMG)-CoA reductase inhibitors mediated by endothelial nitric oxide synthase". Proc. Natl. Acad. Sci. USA, 95: 8880-8885.

Gallagher, T. et al. (1995). "The prosegment-subtilisin BPN' complex: crystal structure of a specific 'foldase'". Structure, 3: 907-914.

Glasson, M.J. et al. (1998). "Development of mini-gel technology in two-dimensional electrophoresis for mass-screening of samples: Application to tears". Electrophoresis, 19: 852-855.

Gram, Hermann et al. (1994). "A novel Approach for High Level Production of a Recombinant Human Parathyroid Hormone Fragment in Escherichia coli". Bio/Technology, 12: 1017-1023.

Grus, F.H. et al. (1999). "Analysis of tear protein patterns by a neural network as a diagnostical tool for the detection of dry eyes". Electrophoresis, 20: 875-880.

Guijarro, C. et al. (1998). "3-Hydroxy-3-Methylglutaryl Coenzyme A Reductase and Isoprenylation Inhibitors Induce Apoptosis of Vascular Smooth Muscle Cells in Culture". Circ Res., 83: 490-500.

EXAMINER

DATE CONSIDERED

*EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP Section 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

INFORMATION DISCLOSURE CITATION*(Use several sheets if necessary)*

Docket Number (Optional)

480848.900

Application Number

09/830837

Applicant(s)

SEIDAH, Nabil G. et al.

Filing Date

April 30, 2001

Group Art Unit

Unassigned

*EXAMINER

INITIAL

OTHER DOCUMENTS *(Including Author, Title, Date, Pertinent Pages, Etc.)*

Gupta, S.K. et al. (1995). "A potent inhibitor of endothelial cell proliferation is generated by proteolytic cleavage of the chemokine platelet factor 4". *Proc. Natl. Acad. Sci. USA*, 92: 7799-7803.

Hallenberger, S. et al. (1992). "Inhibition of furin-mediated cleavage activation of HIV-1 glycoprotein gp160". *Nature*, 360: 358-361.

Hallenberger, S. et al. (1997). "The Role of Eukaryotic Subtilisin-Like Endoproteases for the Activation of Human Immunodeficiency Virus Glycoproteins in Natural Host Cells". *Journal of Virology*, 71: 1036-1045.

Hooper, N.M. et al. (1997). "Membrane protein secretases". *Biochem J.*, 321: 265-279.

Howland, D.S. et al. (1998). "Modulation of Secreted *B*-Amyloid Precursor Protein and Amyloid *B*-Peptide in Brain by Cholesterol". *The Journal of Biological Chemistry*, 273: 16576-16582.

Hua, X. et al. (1993). "SREBP-2, a second basic-helix-loop-helix-leucine zipper protein that stimulates transcription by binding to a sterol regulatory element". *Proc. Natl. Acad. Sci. USA*, 90: 11603-11607.

Hudson, P. et al. (1981). "Molecular cloning and characterization of cDNA sequences coding for rat relaxin". *Nature*, 291: 127-131.

Inouye, Masayori (1991). "Intramolecular Chaperone: The Role of the Pro-Peptide in Protein Folding". *Enzyme*, 45: 314-321.

Iskeleli, G. et al. (1999). "Comparison of Tear Lactate Dehydrogenase Activities of Different Types of Contact Lens Wearers and Normal Control Group". *CLAO Journal*, 25: 101-104.

Jean, F. et al. (1995). "Fluorescent Peptidyl Substrates as an Aid in Studying the Substrate Specificity of Human Prohormone Convertase PC1 and Human Furin and Designing a Potent Irreversible Inhibitor". *The Journal of Biological Chemistry*, Vol. 270, No. 33: 19225-19231.

Kendall, J.M. et al. (1994). "Changes in Free Calcium in the Endoplasmic Reticulum of Living Cells Detected Using Targeted Aequorin". *Analytical Biochemistry*, 221: 173-181.

Khan, A.R. et al. (1998). "Molecular mechanisms for the conversion of zymogens to active proteolytic enzymes". *Protein Science*, 7: 815-836.

EXAMINER

DATE CONSIDERED

*EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP Section 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

INFORMATION DISCLOSURE CITATION

(Use several sheets if necessary)

Docket Number (Optional)

480848.900

Application Number

09/830837

Applicant(s)

SEIDAH, Nabil G. et al.

Filing Date

April 30, 2001

Group Art Unit

Unassigned

*EXAMINER

INITIAL

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)

Kim, J.B. et al. (1996). "ADD1/SREBP1 promotes adipocyte differentiation and gene expression linked to fatty acid metabolism". Genes & Development, 10: 1096-1107.

Kim, J.B. et al. (1998). "ADD1/SREBP1 activates PPAR γ through the production of endogenous ligand". Proc. Natl. Acad. Sci. USA, 95: 4333-4337.

Kim, J.B. et al. (1998). "Nutritional and Insulin Regulation of Fatty Acid Synthetase and Leptin Gene Expression through ADD1/SREBP1". J. Clin. Invest., 101: 1-9.

Kim, J.H. et al. (1998). "Noninvasive measurement of the pH of the endoplasmic reticulum at rest and during calcium release". Proc. Natl. Acad. Sci. USA, 95: 2997-3002.

Laufs, U. et al. (1998). "Upregulation of Endothelial Nitric Oxide Synthase by HMG CoA Reductase Inhibitors". Circulation, 97: 1129-1135.

Laufs, U. et al. (1997). "Inhibition of 3-Hydroxy-3-methylglutaryl (HMG)-CoA Reductase Blocks Hypoxia-mediated Down-regulation of Endothelial Nitric Oxide Synthase". The Journal of Biological Chemistry, 272: 31725-31729.

Laufs, U. and Liao, J.K. (1998). "Post-transcriptional Regulation of Endothelial Nitric Oxide Synthase mRNA Stability by Rho GTPase". The Journal of Biological Chemistry, 273: 24266-24271.

Lei, Y. et al. (1999). "Identification of Mouse CPX-1, a Novel Member of the Metalloprotease Gene Family with Highest Similarity to CPX-2". DNA and Cell Biology, 18: 175-185.

Ling, N. et al. (1976). "Isolation, primary structure, and synthesis of α -endorphin and γ -endorphin, two peptides of hypothalamic-hypophysial origin with morphinomimetic activity". Proc. Natl. Acad. Sci. USA, 73: 3942-3946.

Lippincott-Schwartz, J. et al. (1989). "Rapid Redistribution of Golgi Proteins into the ER in Cells Treated with Brefeldin A: Evidence for Membrane Cycling from Golgi to ER". Cell, 56: 801-813.

Lippincott-Schwartz, J. et al. (1991). "Brefeldin A's Effects on Endosomes, Lysosomes, and the TGN Suggest a General Mechanism for Regulating Organelle Structure and Membrane Traffic". Cell, 67: 601-616.

Llopis, Juan et al. (1998). "Measurement of cytosolic, mitochondrial, and Golgi pH in single living cells with green fluorescent proteins". Proc. Natl. Acad. Sci. USA, 95: 6803-6808.

EXAMINER

DATE CONSIDERED

*EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP Section 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

INFORMATION DISCLOSURE CITATION

(Use several sheets if necessary)

Docket Number (Optional)

480848.900

Application Number

09/830837

Applicant(s)

SEIDAH, Nabil G. et al.

Filing Date

April 30, 2001

Group Art Unit

Unassigned

*EXAMINER

INITIAL

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)

Lusson, J. et al. (1993). "cDNA structure of the mouse and rat subtilisin/kexin-like PC5: A candidate proprotein convertase expressed in endocrine and nonendocrine cells". Proc. Natl. Acad. Sci. USA, 90: 6691-6695.

Maisonpierre, P.C. et al. (1991). "Human and Rat Brain-Derived Neurotrophic Factor and Neurotrophin-3: Gene Structures, Distributions, and Chromosomal Localizations". Genomics, 10: 558-568.

Malide, D. et al. (1995). "Electron Microscopic Immunocytochemical Evidence for the Involvement of the Convertases PC1 and PC2 in the Processing of Proinsulin in Pancreatic B-Cells". The Journal of Histochemistry and Cytochemistry, 43: 11-19.

Marcinkiewicz, M. et al. (1998). "The pro-protein convertase PC1 is induced in the transected sciatic nerve and is present in cultured Schwann cells: comparison with PC5, furin and PC7, implication in pro-BDNF processing". Molecular Brain Research, 59: 229-246.

McNamara, M.J. et al. (1998). "Immunohistochemical and in situ analysis of amyloid precursor-like protein-1 and amyloid precursor-like protein-2 expression in Alzheimer disease and aged control brains". Brain Research, 804: 45-51.

Mizuno, K. et al. (1989). "CHARACTERIZATION OF KEX2-ENCODED ENDOPEPTIDASE FROM YEAST SACCHAROMYCES CEREVISIAE". Biochemical and Biophysical Research Communications, 159: 305-311.

Molloy, M.P. et al. (1997). "Establishment of the human reflex tear two-dimensional polyacrylamide gel electrophoresis reference map: New proteins of potential diagnostic value". Electrophoresis, 18: 2811-2815.

Muller, L. et al. (1997). "Mechanism of the Facilitation of PC2 Maturation by 7B2: Involvement in ProPC2 Transport and Activation but Not Folding". The Journal of Cell Biology, 139: 625-638.

Munzer, J.S. et al. (1997). "In Vitro Characterization of the Novel Proprotein Convertase PC7". The Journal of Biological Chemistry, 272: 19672-19681.

Mutoh, T. et al. (1999). "Involvement of tyrosine phosphorylation in HMG-CoA reductase inhibitor-induced cell death in L6 myoblasts". FEBS Letters, 444: 85-89.

Mutoh, T. et al. (1999). "Role of tyrosine phosphorylation of phospholipase C γ 1 in the signaling pathway of HMG-CoA reductase inhibitor-induced cell death of L6 myoblasts". FEBS Letters, 446: 91-94.

Nohturfft, Axel et al. (1998). "Sterols regulate processing of carbohydrate chains of wild-type SREBP cleavage-activating protein (SCAP), but not sterol-resistant mutants Y298C or D443N". Proc. Natl. Acad. Sci. USA, 95: 12848-12853.

EXAMINER

DATE CONSIDERED

*EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP Section 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

INFORMATION DISCLOSURE CITATION

(Use several sheets if necessary)

Docket Number (Optional)

480848.900

Application Number

09/830837

Applicant(s)

SEIDAH, Nabil G. et al.

Filing Date

April 30, 2001

Group Art Unit

Unassigned

*EXAMINER

INITIAL

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)

Nohturfft, Axel et al. (1999). "Sterols regulate cycling of SREBP cleavage-activating protein (SCAP) between endoplasmic reticulum and Golgi". Proc. Natl. Acad. Sci. USA, 96: 11235-11240.

O'Reilly, M.S. et al. (1994). "Angiostatin: A Novel Angiogenesis Inhibitor That Mediates the Suppression of Metastases by a Lewis Lung Carcinoma". Cell, 79: 315-328.

Paquet, L. et al. (1994). "The Neuroendocrine Precursor 7B2 Is a Sulfated Protein Proteolytically Processed by a Ubiquitous Furin-like Convertase". The Journal of Biological Chemistry, 269: 19279-19285.

Power, S.D. et al. (1986). "Secretion and autoproteolytic maturation of subtilisin". Proc. Natl. Acad. Sci. USA, 83: 3096-3100.

Raiteri, M. et al. (1997). "Pharmacological Control of the Mevalonate Pathway: Effect on Arterial Smooth Muscle Cell Proliferation". The Journal of Pharmacology and Experimental Therapeutics, 281: 1144-1153.

Rassoulzadegan, M. et al. (1998). "APLP2, a member of the Alzheimer precursor protein family, is required for correct genomic segregation in dividing mouse cells". The EMBO Journal, 17: 4647-4656.

Rawson, R.B. et al. (1997). "Complementation Cloning of S2P, a Gene Encoding a Putative Metalloprotease Required for Intramembrane Cleavage of SREBPs". Molecular Cell, 1: 47-57.

Reeves, J.P. et al. (1981). "Intracellular disruption of rat heart lysosomes by leucine methyl ester: Effects on protein degradation". Proc. Natl. Acad. Sci. USA, 78: 4426-4429.

Rittenhouse, J. and Marcus, F. (1984). "Peptide Mapping by Polyacrylamide Gel Electrophoresis after Cleavage at Aspartyl-Prolyl Peptide Bonds in Sodium Dodecyl Sulfate-Containing Buffers". Analytical Biochemistry, 138: 442-448.

Rosendahl, M.S. et al. (1997). "Identification and Characterization of a Pro-tumor Necrosis Factor- α -processing Enzyme from the ADAM Family of Zinc Metalloproteases". The Journal of Biological Chemistry, Vol. 272, No. 39: 24588-24593.

Rovère, C. et al. (1999). "The RGD Motif and the C-terminal Segment of Proprotein Convertase 1 Are Critical for Its Cellular Trafficking but Not for Its Intracellular Binding to Integrin $\alpha 5 \beta 1$ ". The Journal of Biological Chemistry, 274: 12461-12467.

Sakai, J. et al. (1996). "Sterol-Regulated Release of SREBP-2 from Cell Membranes Requires Two Sequential Cleavages, One Within a Transmembrane Segment". Cell, 85: 1037-1046.

EXAMINER

DATE CONSIDERED

*EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP Section 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

INFORMATION DISCLOSURE CITATION

(Use several sheets if necessary)

Docket Number (Optional)

480848.900

Application Number

09/830837

Applicant(s)

SEIDAH, Nabil G. et al.

Filing Date

April 30, 2001

Group Art Unit

Unassigned

*EXAMINER

INITIAL

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)

Sambrook, J.F. (1990). "The Involvement of Calcium in Transport of Secretory Proteins from the Endoplasmic Reticulum". Cell, 61: 197-199.

Scheek, S. et al. (1997). "Sphingomyelin depletion in cultured cells blocks proteolysis of sterol regulatory element binding proteins at site 1". Proc. Natl. Acad. Sci. USA, 94: 11179-11183.

Seidah, N.G. et al. (1994). "The family of subtilisin/kexin like pro-protein and pro-hormone convertases: Divergent or shared functions". Biochimie, 76: 197-209.

Seidah, Nabil G. (1995). "Molecular Strategies for Identifying Processing Enzymes". Methods in Neurosciences, 23: 3-15.

Seidah, N.G. et al. (1996). "cDNA structure, tissue distribution, and chromosomal localization of rat PC7, a novel mammalian proprotein convertase closest to yeast kexin-like proteinases". Proc. Natl. Acad. Sci. USA, 93: 3388-3393.

Seidah, N.G. et al. (1996). "Cellular processing of the neurotrophin precursors of NT3 and BDNF by the mammalian proprotein convertases". FEBS Letters 379: 247-250.

Seidah, N.G. et al. (1998). "Precursor Convertases: An Evolutionary Ancient, Cell-Specific, Combinatorial Mechanism Yielding Diverse Bioactive Peptides and Proteins". Ann. NY Acad. Sci., 839: 9-24.

Seidah, N.G. et al. (1998) "The Mammalian Precursor Convertases: Paralogs of the Subtilisin/Kexin Family of Calcium-Dependent Serine Proteinases", In: Hook, V.Y.H. (Ed.), Proteolytic and Cellular Mechanisms in Prohormone and Proprotein Processing, R.G. Landes Company, Georgetown, TX, USA, chapter 3: 49-76.

Shimomura, I. et al. (1998). "Insulin resistance and diabetes mellitus in transgenic mice expressing nuclear SREBP-1c in adipose tissue: model for congenital generalized lipodystrophy". Genes & Development, 12: 3182-3194.

Shimomura, I. et al. (1999). "Leptin reverses insulin resistance and diabetes mellitus in mice with congenital lipodystrophy". Nature, 401: 73-76.

Shimomura, I. et al. (1999). "Increased Levels of Nuclear SREBP-1c Associated with Fatty Livers in Two Mouse Models of Diabetes Mellitus". The Journal of Biological Chemistry, 274: 30028-30032.

Soma, M.R. et al. (1992). "Cholesterol and mevalonic acid modulation in cell metabolism and multiplication". Toxicology Letters, 64/65: 1-15.

EXAMINER

DATE CONSIDERED

*EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP Section 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

INFORMATION DISCLOSURE CITATION

(Use several sheets if necessary)

Docket Number (Optional)

480848.900

Application Number

09/830837

Applicant(s)

SEIDAH, Nabil G. et al.

Filing Date

April 30, 2001

Group Art Unit

Unassigned

*EXAMINER

INITIAL

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)

Spence, M.W. and Callahan, J.W. (1989). "Sphingomyelin-Cholesterol Lipidoses: The Niemann-Pick Group of Diseases". In *The Metabolic Basis of Inherited Disease* (Scriver, C.R. et al., editors), McGraw-Hill Publ. Co., 6th Edition, chapter 66: 1655-1676.

Steiner, Donald F. (1998). "The proprotein convertases". *Curr. Opin. Chem. Biol.*, 2: 31-39.

Sviridov, D. (1999). "Intracellular cholesterol trafficking". *Histology & Histopathology*, 14: 305-319.

Volchikov, Viktor E. et al. (1998). "Processing of the Ebola virus glycoprotein by the proprotein convertase furin". *Proc. Natl. Acad. Sci. USA*, 95: 5762-5767.

Wang, X. et al. (1994). "SREBP-1, a Membrane-Bound Transcription Factor Released by Sterol-Regulated Proelolysis". *Cell*, 77: 53-62.

Yan, Q. et al. (1997). "Expression of Brain-Derived Neurotrophic Factor Protein in the Adult Rat Central Nervous System". *Neuroscience*, 78: 431-448.

Zhong, Mei et al. (1999). "The Prosegments of Furin and PC7 as Potent Inhibitors of Proprotein Convertases". *The Journal of Biological Chemistry*, Vol. 274, No. 48: 33913-33920.

EXAMINER

DATE CONSIDERED

*EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP Section 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.